

PKCELL CR1225 3V 50mAh Lithium Button Cell Battery Supplier

PKCELL

PKCELL

PKCELL



PKCELL Button Cell Battery with Different Terminations



Advantages:

- 1) Environmental friendly, Light weight
- 2) High density of energy
- 3) Low self-discharge
- 4) Low internal resistance
- 5) No memory effect
- 6) Free of mercury
- 7) Safety assurance : No fire, No explosion, No leakage

Display and storage :

1. Batteries shall be stored in well-ventilated dry and cool conditions
2. Battery cartons should not be piled up in several layers, or should not exceed a specified height
3. Batteries should not be exposed to direct sun ray for a long time or placed in areas where they get wet by rain.
4. Do not mix unpacked batteries so as to avoid mechanical damage and/or short circuit among each other

Warnings and Cautions :

1. Do not short circuit, recharge, heat, disassemble nor dispose in fire
2. Do not force-discharge.

3.Do not make the anode and the cathode reversed

4.Do not solder directly

Item No.	System	Normal Voltage (V)	Capacity (mAh)	Dimension(mm)	Weight (g)
CR927	Lithium	3.0	30	9.5×2.7	0.6
CR1216	Lithium	3.0	25	12.5×1.6	0.7
CR1220	Lithium	3.0	40	12.5×2.0	0.9
CR1225	Lithium	3.0	50	12.5×2.5	1.0
CR1616	Lithium	3.0	50	16.0×1.6	1.2
CR1620	Lithium	3.0	70	16.0×2.0	1.6
CR1632	Lithium	3.0	120	16.0×3.2	1.3
CR2016	Lithium	3.0	75	20.0×1.6	1.8
CR2025	Lithium	3.0	150	20.0×2.5	2.4
CR2032	Lithium	3.0	210	20.0×3.2	3.0
CR2032	Lithium	3.0	220	20.0×3.2	3.1
CR2050	Lithium	3.0	150	20.0×2.5	2.4
CR2320	Lithium	3.0	130	23.0×2.0	3.0
CR2325	Lithium	3.0	190	23.0×2.5	3.5
CR2330	Lithium	3.0	260	23.0×3.0	4.0
CR2430	Lithium	3.0	270	24.5×3.0	4.5
CR2450	Lithium	3.0	600	24.5×5.0	6.2
CR2477	Lithium	3.0	900	24.5×7.7	7.0
CR3032	Lithium	3.0	500	30.0×3.2	6.8

--	--	--	--	--	--

Product

link : <https://www.pkcellpower.com/pkcell-cr1225-3v-50mah-lithium-button-cell-battery-product/>